


Elevated Batten System®



BATTENS FOR A LONGER LASTING ENERGY EFFICIENT ROOF



WEATHER
RESISTANT



ENERGY
EFFICIENT



SAVE
TIME & MONEY



EASY
INSTALLATION



GREEN

- Prolongs the life of any tile roof
- Prevents water damming that causes leaks
- Eliminates nail penetrations through waterproofing underlayment
- Saves energy by ventilating and insulating
- Suitable for all tile profiles
- High grade wood with 100% recycled plastic pads
- Hi-Bor® pressure treated option with Osmose® 20-year Limited Warranty in Hawaii

Elevated Batten System® (EBS)

THE SMARTEST CHOICE FOR ANY TILE ROOF



MAKE YOUR ROOF LAST LONGER



Weather Resistant

Elevating the battens allows free flow for any water that may get underneath the tiles due to a failed flashing, clogged valley, or broken tile. Standard battens can dam water above the battens which can cause rapid deterioration of the underlayment, battens, fasteners and decking - ultimately causing a roof leak. Elevated Batten System® battens help prevent these potential leaks.

Tiles can be fixed to Elevated Batten System® battens without puncturing the underlayment, providing better waterproofing protection than standard battens where the tile fasteners penetrate the battens and underlayment resulting in thousands of punctures on a typical roof. The pads elevating the battens also seal around every batten fastener further waterproofing the system.

Choose one of two types of protective treatments:

- 1 Our most popular anti-fungus/anti-mold (purple) battens prevents fungus, mold and surface rot.
- 2 Hi-Bor® pressure treated (clear) battens are resistant against termites and rot in humid climates. 20 year Limited Warranty in Hawaii. Recommended for humid climates.



California Building Code recognizes Elevated Batten System® battens as a cool roof option meeting the minimum 0.85 R value for insulation above the roof deck.



Standard Battens block water flow



Elevated Battens allow free water flow off the roof



Energy Efficient

A critical component of Westlake Royal™ Cool Roof System allowing continuous air flow from eaves to ridges and hips. The ventilation cools the roof in hot weather, exhausting heated air between the tile and the deck out the ridges and hips while breathing in fresh air at the eaves. Elevating the battens adds air space that insulates the attic space to save additional energy in hot and cold weather.



Save Time and Money

Every batten is ready to go - no scrap or waste. Build a roof that saves energy and protects against ice damming in less time by reducing the two-step counter batten system to a single step.



Green

Roofs are more sustainable with Elevated Batten System® battens. Plastic pads are 100% post-consumer recycled polyethylene.



Easy Installation

Works with all clay and concrete tile profiles from any manufacturer. As easy to install as a standard batten because they are pre-assembled with the pads fastened to the wood batten strips. Pre-marked fastening guides ensure proper code required spacing and that the fasteners go through the pads.

Part Numbers	Size	Coverage	Pieces/Bundles	Treatment Options
91152	1"x 2"x 8'	96 linear ft. per bundle	12	Anti-Fungus, Anti-Mold
91093	1"x 2"x 4'		24	
91153	1"x 3"x 8'		12	
91150	1"x 3"x 4'		24	
91155	1"x 3"x 8'		12	Pressure Treated

Note: 1"x 3" recommended for Cedarlite® and Madera Tiles

CERTIFICATIONS / APPROVALS


Florida Building Code FL7849
California Building Code Title 24, Pt. 6 compliant
Patent US 6,536,171 B1

SPECIFICATIONS

Size Nominal 1"x 3" or 1"x 2"
Length 4' or 8'
Coverage 96 lineal ft/bundle
Pcs/Bundle 4' long – 24 pieces
 8' long – 12 pieces
Treatment Options Anti-Fungal/Anti-Mold (Purple)
 Pressure Treated (Clear)

BOTTOM VIEW

Anti-Fungal/Anti-Mold (Purple) treatment option shown.
 Other treatment options available: Hi-Bor® pressure treated (Clear)
 for better protection from the elements.



SIDE VIEW



Corporate Office
Westlake Royal Building Products
 2801 Post Oak, Suite 600
 Houston, TX 77056

Western Office
Westlake Royal Roofing Solutions
 7575 Irvine Center Drive, Suite 100
 Irvine, CA 92618

Customer Service
800.669.8453 - West & Central
863.824.1289 - Florida & East

© 2022 WRRS LLC - AC408 - 3/22



WestlakeRoyalRoofing.com

Westlake
 Royal Roofing Solutions™