

Protect Your Home Against Hail Damage

Over the past several years, the damage caused by large hail stones has increased the demand for greater protection. Unified Steel[™] products has been tested to meet the criteria for **UL Class**4 Impact Resistance*, as well as the new standard of testing for Very Severe Hail (VSH)

Impact Resistance.

CHOOSE A ROOF THAT CAN HELP SAVE YOU TIME AND MONEY

- Class 4 and Very Severe Hail Impact ratings offer the highest hail performance certification recognized in the industry, increasing the protection of your home against the toughest elements.
- Save on energy with Westlake Royal™ Cool Roof Systems, shown to lower energy bills for the life of the roof.
- 50-year Limited Fully Transferable Warranty.**



PROTECT YOURSELF—CHOOSE QUALIFIED INSTALLERS

When damage occurs after a hailstorm, contact Westlake Royal Roofing Solutions[™] for help with your next steps. Our experts can help you find a pro that will have your best interest in mind and the right roofing solution that will protect your home for years to come.

Call us today, we can offer guidance and point you in the right direction: 800.658.8004


^{**} For product warranty details, please visit <u>Unified Steel Product Warranty</u> on our website. The warranty found there is the sole warranty applicable to Unified Steel™ roofing products.



^{*} UL 2218 Hail Impact with Steel Ball, per QA


PINE-CREST Shake

Engineered to replicate hand-split wood shake with the durability of steel.



COTTAGE Shingle

Enhanced high-definition three color blend that creates a clean, classic mid-profile shingle look.




GRANITE-RIDGE Shingle

A low-profile, high wind resistant shingle that adds long-life and beauty.




PACIFIC Tile


Mediterranean Villa, medium profile tile that emulates the traditional style of southern Europe.



CRRC #: 0942-0227 / Ref: 0.22 / Emi: 0.92 / SRI: 23 / Aged SRI: 22*




CRRC #: 0942-0226 / Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 20*



BARCLAY 4DEP93185SF








BARREL-VAULT Tile

The traditional look of High-Barrel Spanish tile that enhances your home's curb appeal.




CRRC #: 0942-0218 / Ref: 0.40 / Emi: 0.87 / SRI: 45 / Aged SRI: 42




CRRC #: 0942-0228 / Ref: 0.22 / Emi: 0.93 / SRI: 23 / Aged SRI: 22*











CHARCOAL 4DDP9104000





Unified Steel[™] stone coated roofing offers **five distinct profiles** that will enhance the curb appeal and value of any home while **providing durability, performance, and protection** that will last.



PROVEN DURABILITY

Unified Steel[™]'s long service life, lightweight roofing provides great value compared to life cycle costs of asphalt shingles.*



ENERGY EFFICIENT

When installed direct-to-deck, on battens or with Elevated Batten System[®] (EBS), Unified Steel[™] can help provide energy savings due to the use of Above Sheeting Ventilation (ASV).**



50-YEAR LIMITED WARRANTY

Unified Steel™ offers one of the most comprehensive, fully transferable roofing warranties in the business today. Coverage includes 120 mph Wind and Class 4 Hail protection.***



FIRE, HAIL, AND WIND TESTED

All of our panels have systems that meet the highest standards for ASTM Class A Fire Rating, UL 2218 Class 4 Impact, FM 4473 Very Severe Hail (VSH) performance, and Florida wind requirements for the High Velocity Hurricane Zone (HVHZ).




INSURANCE DISCOUNTS - ENERGY REBATES


Through the classifications achieved against Fire, Hail, and Wind, the Unified Steel™ product may help reduce insurance premiums or attain performance rebates, such as Cool Roof Colors. Consult your insurance carrier, roofing contractor, and/or energy provider for availability.



WIDE RANGE OF COLORS

Unified Steel is offered in a variety of profiles and colors to suit any architectural style. Check with your local contractor or Westlake Royal Roofing Service Center to confirm availability of colors and profiles in your area.







^{*} Reroof based on average lifespan of asphalt shingle roofing at 18.1 years. Source: 3M Economic Forecast for the Asphalt Shingle Industry 2017- F.W. Dodge-Pre-2003, NAHB-Post-2003.

^{***} For product warranty details, please visit <u>Unified Steel Product Warranty</u> on our website. The warranty found there is the sole warranty applicable to Unified Steel™ roofing products.













^{**} Above Sheathing Ventilation (ASV) can be achieved when installing Unified Steel PINE-CREST Shake, PACIFIC Tile, BARREL-VAULT Tile or COTTAGE Shingle panels direct-to-deck or on battens.