





HIGH-PERFORMANCE SYNTHETIC ROOF UNDERLAYMENT



SwiftGuard® Roof Underlayment is a high performance synthetic roof underlayment for all steep-slope roofing materials including tile, steel and shingles, as well as natural and composite slates and shakes. SwiftGuard® Roof Underlayment includes innovative, patented nail gasketing technology for superior moisture resistance. A high grip backing and non-woven, thermally embossed facer provide increased deck grab and superior walkability. Each roll is approximately 10 squares (1,000 sqft) making installation *Swift* and easy to *Guard* against the elements.

^{*}See **SwiftGuard Product Warranty** on our website for details.

THE ONLY HIGH-PERFORMANCE SYNTHETIC ROOF UNDERLAYMENT RECOMMENDED BY WESTLAKE ROYAL™ ROOFING COMPONENTS.





HIGH-PERFORMANCE FOR ANY ROOF IN ANY CLIMATE.



Durable Protection – All Season

SwiftGuard® Roof Underlayment is constructed of four layers. Patented gasketing technology in two of these layers help guard against leaks at the underlayment and primary roof covering fastener locations. SwiftGuard® Roof Underlayment helps to withstand the elements in all climates and seasons.



Easy Installation

Each 1,000 square foot roll weighs approximately 50 pounds making it easy to load and install on the roof. Also, they are easier to store and transport to the job site than traditional asphalt underlayment. Clearly identifiable lay lines and fastening markers makes installation swift and easy.



6 Months Uncovered Exposure

In addition to SwiftGuard® Roof Underlayment's patented gasketing technology, its UV and thermal stability allows the SwiftGuard® Roof Underlayment to be left uncovered and exposed for up to 180 days.



Product Performance


After years of development, this innovative, high performance underlayment is now offered by Westlake Royal™ Roofing Components. SwiftGuard® Roof Underlayment is backed by manufacturer's Limited Lifetime Warranty* for peace of mind that the product will perform and last.

^{*}See SwiftGuard Product Warranty on our website for details.









CERTIFICATIONS / APPROVALS

ASTM Meets Table 1 Physical Requirements

of ASTM D 226 Types I and II

Meets Table 1 Physical Requirements of **ASTM D 4869 Types II and IV**

Meets Physical Property Requirements of **AC188**



Intertek



SPECIFICATIONS

Roll Size 40" x 300'

Roll Weight 50 lbs (nominal)

Coverage Approx.10 Squares

Rolls per Pallet 20 Rolls

Pallet Weight 1,036 lbs (nominal)

PART NUMBERS

92781 10 Square Roll

92780 Drop Ship - 720 Rolls/Truck

About Westlake Royal Building Products™ | Roofing Solutions

The Roofing Solutions portfolio from Westlake Royal Building Products[™] is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems. Encompassing a suite of materials that provide strength, versatility, and refinement, our portfolio includes US Tile[®] Clay Roofing Products, Newpoint[™] Concrete Roof Tile, Unified Steel[™] Stone Coated Roofing, DaVinci[®] Roofscapes, and Westlake Royal[™] Roofing Components, all designed to deliver a higher standard of roof installation, performance, and design.

SIDING & ACCESSORIES TRIM & MOULDINGS ROOFING STONE WINDOWS OUTDOOR LIVING



THE PRODUCTS TO DO EVERYTHING. THE POWER TO DO EVEN MORE.

There are no limits to how far we innovate, how deeply we express, how strongly we commit, how boldly we go.



