







Mhy Tile?

NATURAL PROTECTION

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing Newpoint™ Cool Roof System to a common asphalt shingle installation. The result is less heat in the attic and lower energy bills.

Hail Rated.

HAIL RATED CONCRETE TILE ROOFS MAY PROVIDE INSURANCE REDUCTIONS

Newpoint™ has a complete offering of Class 3 and Class 4 Impact concrete tile, the highest hail performance certification recognized in the industry.

You may qualify for an insurance reduction when choosing one of Newpoint's hail certified roof tiles.

EASY TO REPAIR

Unlike many other roofing materials, tile can be replaced individually without replacing the entire roof.

➤ The hail testing at Intertek's laboratory in Dallas, Texas under test protocol for FM 4473.

HAIL TESTING

In the Class 4 hail test, 2 inch ice balls are shot at 104 feet per second (approx. 70 mph), to develop the intended kinetic energy. This test is the most rigorous test using the largest ice balls, impacting the product specimen 4-6 times.





















STYLES

Newpoint[™] concrete roof tile easily harmonizes with all 3 dominant architectural styles.



TRADITIONAL

styles from other time periods or areas of the world. Often mixed references.



CRAFTSMAN
SPANISH COLONIA
FOURSQUARE
NEW TRADITIONA
FRENCH CHATEAL

TRANSITIONAL

Prefers the clean lines of contemporary architecture, but draws heavily on details and styles from traditional architecture.



RANCH PRAIRIE MISSION REVIVAL DNTEMPORARY FARMHOL

CONTEMPORARY

Characterized by a preference for clear lines, open concepts, decoration, ample light sources, large windows, and lack of round forms.



NEW BARNHOUSE
CONTEMPORARY
AID CENTURY MODERN

11











Designed to reflect the classic style and distinctiveness of Spanish architecture.

P. 17

Barcelona Impact




This modern interpretation of old world Spanish design creates a distinctive mission tile appearance.

Designed to withstand severe weather

P. 22







conditions. Class 4 Hail Rated.















Saxony[®] Country Slate



Unique beveled edges precisely define each roof tile for a staggered appearance, while its distinctive slate texture accurately reproduces the appearance of its natural counterpart.

P. 23

Saxony[®] Country **Slate Impact**



Unique beveled edges define each roof tile for a staggered appearance, while its distinctive slate texture accurately reproduces the appearance of its natural counterpart.

P. 27

Design to help withstand severe weather conditions. Class 4 Hail Rated.

Saxony[®] Shake



Captures rustic beauty of hand-hewn shakes. Ideal for French Country, Victorian Craftsman or Cottage architectural styling.

P. 29

Saxony[®] Country Split Shake



This classic variation of both shake and slate tile adds a distinctive architectural style. Split Shake tiles are best suited for Cottage, Country and Traditional American Homes.

P. 30

DESIGNER PRODUCT

Madera 900



The most authentic, affordable replication of a hand-split cedar shake roof available. With its realistic wood shake surface, Madera 900 will complement any architectural style.

P. 31







Continental Seville

1TEWS0030



Newport Sun

1TECS6953



CRRC Rated Product - 0942-0111

Ref: .31 / Emi: .90 / SRI: 33 / Aged SRI: 33

New Clay

1TECS6931



CRRC Rated Product - 0942-0021 Ref: .25 / Emi: .93 / SRI: 26 Aged SRI: 27

Terra Cotta 1TECS6100



CRRC Rated Product - 0942-0049

Ref: .29 / Emi: .89 / SRI: 29 / Aged SRI: 33

Brazos Blend

1TEWS6217



CRRC Rated Product - 0942-0093 Ref: .34 / Emi: .89 / SRI: 37 / Aged SRI: 36

Clay Mexican Blend

1TECS6050





Sandstorm



Desert Sage 1TECS0024



CRRC Rated Product - 0942-0022 Ref: .27 / Emi: .93 / SRI: 29 / Aged SRI: 28

Salerno Clay 1TECS6330



CRRC Rated Product - 0942-0012 Ref: .17 / Emi: .93 / SRI: 17 / Aged SRI: 22

Chestnut Burnt

1TECS3242



Dark Bordeaux

1TECS7944



Green Grey Blend 1TECS4507



Marbled Terra Cotta

1TECS6129



CRRC Rated Product - 0942-0020 Ref: .19 / Emi: .91 / SRI: 20 / Aged SRI: 25

Mission Red 1TECS7027



Marbled Canyon Red 1TECS7164



Charcoal Blend

1TECS1430



CRRC Rated Product - 0942-0072 Ref: .17 / Emi: .91 / SRI: 15 / Aged SRI: 16

Casa Grande Blend

1TECS6169



CRRC Rated Product - 0942-0014 Ref: .23 / Emi: .91 / SRI: 23 / Aged SRI: 24

Lexington Blend
1TECS6190

Charcoal Brown Blend 1TECS1132



CRRC Rated Product - 0942-0005 Ref: .18 / Emi: .91 / SRI: 17 / Aged SRI: 19





CUSTOM BLENDS

Custom Blend 1



Terra Cotta 45%; Sandstorm 20%; Chestnut Burnt 15% Continental Seville 10%; Desert Sage 10%

Custom Blend 2



New Clay 30%; Sandstorm 30% Desert Sage 30%; Green Grey Blend 10%

Custom Blend 3



Sandstorm 40%; Terra Cotta 20% Casa Grande Blend 20%; Chestnut Burnt 20%

Custom Blend 4



Terra Cotta 25%; Marbled Terra Cotta 25% Marbled Canyon Red 25%; Casa Grande Blend 25%

Custom Blend 5



Sandstorm 33%; Desert Sage 33% Chestnut Burnt 33%

Custom Blend 6



Marbled Canyon Red 50%; Casa Grande Blend 50%

Custom Blend 7

21



Continental Seville 60%; Terra Cotta 20% Casa Grande Blend 20%

Custom Blend 8



Dark Bordeaux 60%; Chestnut Burnt 40%

NOTE: Custom blends are sold as individual colors and must be blended on the roof by the installer. When ordering Tejas España Custom Blend colors each color must be ordered in half or full pallets.

Barcelona Impact



22



Salerno Clay 1BITS6330



CRRC Rated Product - 0942-0012 Ref: .17 / Emi: .93 / SRI: 17 / Aged SRI: 22

Lexington Blend





23


Saxony® Country Slate



24




Patina Green 1TCCS4972



Terra Cotta 2000



Impressionist 1TCCS4976



Tiger Eye



Charcoal Blend

CRRC Rated Product - 0942-0072 Ref: .17 / Emi: .91 / SRI: 15 / Aged SRI: 16

Wolf Grey 1TCCS5969



CRRC Rated Product - 0942-0090 Ref: .11 / Emi: .91 / SRI: 8 / Aged SRI: 15

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.

Saxony® Country Slate

Weathered Griege

1TCCS3380



Charcoal Brown Blend

1TCCS1132



Ref: .18 / Emi: .91 / SRI: 17 / Aged SRI: 19

* * * * * * * *

Chestnut Burnt

1TCCS3242



Dark Bordeaux

1TCCS7944













Saxony® Country Slate Impact





Tiger Eye 1TCTS3962



Shadow Grey 1TCTS5225



Wolf Grey 1TCTS5969



CRRC Rated Product - 0942-0090 Ref: .11 / Emi: .91 / SRI: 8 / Aged SRI: 15

Charcoal Blend 1TCTS1430



CRRC Rated Product - 0942-0072 Ref: .17 / Emi: .91 / SRI: 15 / Aged SRI: 16



Saxony® Shake











Weathered Shake



Shadow Grey Burnt



Cobblestone 1TSCB3957




CRRC Rated Product - 0942-0062 Ref: .11 / Emi: .90 / SRI: 8 / Aged SRI: 15

Berkus Green 1TSCB4245



Weathered Shake





Madera 900

DESIGNER PRODUCT





Winterwood Blend

1MDCL5120



CRRC Rated Product – 0942-0183 Ref: 0.21 / Emi: 0.91 / SRI: 20 / Aged SRI: 21

Autumnwood 1MDCL3002



CRRC Rated Product - 0942-0070 Ref: .13 / Emi: .87 / SRI: 8 / Aged SRI: 8

Elkwood 1MDCL0072



CRRC Rated Product – 0942-0081 Ref: .16 / Emi: .94 / SRI: 16 / Aged SRI: 16

Mountainwood





CRRC Rated Product - 0942-0110 Ref: .08 / Emi: .93 / SRI: 5 / Aged SRI: 7

Tahoe Blend 1MDCL3230

CRRC Rated Product – 0942-0169 Ref: 0.17 / Emi: 0.91 / SRI: 16 / Aged SRI: 18

Vintagewood 1MDCL5011



CRRC Rated Product - 0942-0089

Ref: .12 / Emi: .94 / SRI: 11 / Aged SRI: 13


Have you considered what is underneath your roof tile?

Newpoint[™] Cool Roof System



Five components provide energy efficiency and give substantial return on your investment.





Energy Savings Every Year

22% Reduction in heating and cooling costs[†]



For more information, please visit our website **WestlakeRoyalRoofing.com**

†Steep-slope Assembly Testing of Clay and Concrete Tile with and without Cool Pigmented Colors, Oak Ridge National Laboratory, 2005. Results vary based on profile of tile installed, location, weather and other factors.

Specifications

Finishing Touches

TEJAS ESPAÑA	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	Capri Trim	Capri Hip Starter	
	16-1/2" x 13"	3-5/8"	At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	254	2.92	Approx: 2,93	35 lbs.	Intertek Class 3 Hail Rated FM 4473	1CTCS/1CTWS	1CHCS/1CHWS	
BARCELONA IMPACT	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	Capri Trim	Capri Hip Starter	
	16-1/2" x 13"	3-5/8"	At 3" minimum headlap, 89 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	244	2.75	Approx: 3,14	40 lbs.	Intertek Class 4 Hail Rated FM 4473	1CTCS	1CHCS	
SAXONY° COUNTRY SLATE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	16-1/2" x 13"	1-1/8"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	262	2.85	Approx: 3,15	55 lbs.	Intertek Class 3 Hail Rated FM 4473	1R9CS	1R3CS	1FHCS
SAXONY° COUNTRY SLATE IMPACT	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	16-1/2" x 13"	1-1/8"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,080 lbs.	252	2.74	Approx: 3,36	66 lbs.	Intertek Class 4 Hail Rated FM 4473	1R9CS	1R3CS	1FHCS
SAXONY° SHAKE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	16-1/2" x 13"	1"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	256	2.78	Approx: 3,05	50 lbs.	Intertek Class 3 Hail Rated FM 4473	1R9CL	1R3CL	1FHCL
SAXONY° COUNTRY SPLIT SHAKE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	16-1/2" x 13"	1-1/2"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	256	2.78	Approx: 3,05	50 lbs.	Intertek Class 3 Hail Rated FM 4473	1R9CB	1R3CB	1FHCB
MADERA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / P	allet	Approvals	90 Rake	V-Ridge	Tapered Eave Starter
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	360	3	Approx: 3,0°	10 lbs.	Intertek Class 3 Hail Rated FM 4473	19CCL	1VCCL	1CECL

35 36

Suggested Tile Mortar™ Colors

Tejas España	Tile Mortar
Brazos Blend	Terra Cotta
Casa Grande Blend	Casa Grande
Charcoal Blend	Charcoal
Charcoal Brown Blend	Desert Sage
Chestnut Burnt	Chestnut Burnt
Clay Mexican Blend	Sandstorm
Continental Seville	Desert Sage
Dark Bordeaux	Dark Bordeaux
Desert Sage	Desert Sage
Green Grey Blend	Charcoal
Lexington Blend	Casa Grande
Marbled Canyon Red	Marbled Canyon Red
Marbled Terra Cotta	Terra Cotta
Mission Red	Mission Red
New Clay	Terra Cotta
Newport Sun	Terra Cotta
Salerno Clay	Sandstorm
Sandstorm	Sandstorm
Terra Cotta	Terra Cotta
Barcelona Impact	Tile Mortar
Charcoal Brown Blend	Desert Sage
Lexington Blend	Casa Grande
Salerno Clay	Sandstorm

Saxony [®] Country Slate	Tile Mortar
Charcoal Blend	Charcoal
Charcoal Brown Blend	Desert Sage
Chestnut Burnt	Chestnut Burnt
Dark Bordeaux	Dark Bordeaux
Impressionist	Chestnut Burnt
Patina Green	Desert Sage
Shadow Grey	Charcoal
Terra Cotta 2000	Terra Cotta
Tiger Eye	Chestnut Burnt
Weathered Griege	Desert Sage
Wolf Grey	Chestnut Burnt
Saxony [®] Country Slate Impact	Tile Mortar
Saxony ^e Country Slate Impact Charcoal Blend	Tile Mortar Charcoal
Charcoal Blend	Charcoal
Charcoal Blend Shadow Grey	Charcoal Charcoal
Charcoal Blend Shadow Grey Tiger Eye	Charcoal Charcoal Chestnut Burnt
Charcoal Blend Shadow Grey Tiger Eye Wolf Grey	Charcoal Charcoal Chestnut Burnt Chestnut Burnt
Charcoal Blend Shadow Grey Tiger Eye Wolf Grey Saxony Shake	Charcoal Charcoal Chestnut Burnt Chestnut Burnt Tile Mortar
Charcoal Blend Shadow Grey Tiger Eye Wolf Grey Saxony Shake Shadow Grey Burnt	Charcoal Charcoal Chestnut Burnt Chestnut Burnt Tile Mortar Charcoal
Charcoal Blend Shadow Grey Tiger Eye Wolf Grey Saxony Shake Shadow Grey Burnt Weathered Shake	Charcoal Charcoal Chestnut Burnt Chestnut Burnt Tile Mortar Charcoal Chestnut Burnt
Charcoal Blend Shadow Grey Tiger Eye Wolf Grey Saxony Shake Shadow Grey Burnt Weathered Shake Saxony Country Split Shake	Charcoal Charcoal Chestnut Burnt Chestnut Burnt Tile Mortar Charcoal Chestnut Burnt Tile Mortar

Tile Mortar Color Samples Desert Sage Sandstorm **Chestnut Burnt** Terra Cotta Dark Bordeaux Mission Red Casa Grande Charcoal Marbled Canyon Red

WestlakeRoyalRoofing.com - Imagine the Possibilities.

Visualize

Picture your new roof with Newpoint[™] Concrete Roof Tile Inspiration house photo gallery on our website.

Design your home with your dream roof by using our **Dream Home** Visualizer. Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.

Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.

Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

Online Ordering

Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone.

Sign-up for e-mail alerts to notify you of your order status.

Limited Lifetime Warranty*

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

Follow Us On Social Media

See what everyone loves about Newpoint™ Concrete Roof Tile and get inspired on: Facebook, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.

























^{*}For product warranty details, please visit Newpoint Concrete Product Warranty on our website. The warranties found there are the sole warranties applicable to Newpoint™ roofing products.

Code Approval: Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles have systems that are Class A fire rated.

Disclaimer: The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

Installation: According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.



ABOUT WESTLAKE ROYAL ROOFING SOLUTIONS™

Westlake Royal Roofing Solutions™ is the combination of DaVinci® Roofscapes and the former Boral North America roofing product lines. The company is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems and components. The company's offerings include US Tile® products, a legacy line of premium, stunning clay tile solutions manufactured to the highest standard of sustainability and craftsmanship: DaVinci® Roofscapes, beautiful and durable composite slate and shake roofing tiles; Newpoint™ Concrete Tile Roofing, the enduring line of concrete tile known for its superior strength, Class A fire rating and long-lasting beauty: Unified Steel™ Stone Coated Roofing, the ultra-lightweight roofing system which benefits from the structural strength of steel; and Westlake Royal™ Roofing Components, a full line of integrated roof components designed to deliver a higher standard of roof installation and performance.

ABOUT ABOUT WESTLAKE ROYAL BUILDING PRODUCTS™

Westlake Royal Building Products USA Inc., a Westlake company (NYSE:WLK), is a leader throughout North America in the innovation, design, and production of a broad and diverse range of exterior and interior building products, including Siding and Accessories, Trim and Mouldings, Roofing, Stone, Windows and Outdoor Living. For more than 50 years, Westlake Royal Building Products has manufactured high quality, low maintenance products to meet the specifications and needs of building professionals, homeowners, architects, engineers and distributors, while providing stunning curb appeal with an unmatched array of colors, styles, and accessories.

For more information, please visit WestlakeRoyalBuildingProducts.com. Follow us on LinkedIn, Instagram and "Like" us on Facebook.

Sales Offices

Phoenix, ARIZONA
Corona, CALIFORNIA
Lathrop, CALIFORNIA
Stockton, CALIFORNIA
Rialto, CALIFORNIA
Denver, COLORADO
Pompano Beach, FLORIDA

Lake Wales, FLORIDA
Okeechobee, FLORIDA
Kapolei, HAWAII
Henderson, NEVADA
Fort Worth, TEXAS
Katy, TEXAS

Corporate Office

Westlake Royal Building Products 2801 Post Oak, Suite 600 Houston, Texas 77056

Customer Service
Ph: 800.669.TILE (8453)

Website



WestlakeRoyalRoofing.com











