ARIZONA



CONCRETE ROOF TILE COLLECTIONS





Concrete Tile attic temperature

Why Tile?

NATURAL PROTECTION

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing Newpoint™ Cool Roof System to a common asphalt shingle installation. The result is less heat in the attic and lower energy bills.











STYLES

Newpoint[™] concrete roof tile easily harmonizes with all three dominant architectural styles.



TRADITIONAL

American adaptations of regional home styles from other time periods or areas of the world. Often mixed references.



MEDITERRANEAN
TUSCAN
SPANISH MISSION
RAFTSMAN / BUNGALOV
COLONIAL



TRANSITIONAL

Prefers the clean lines of contemporary rchitecture, but draws heavily on details and styles from traditional architecture.



NCH / SPLIT LEVEL PRAIRIE STYLE MIXED LOOKS



CONTEMPORARY

Characterized by a preference for clean lines, open concepts, decoration, ample light sources, large windows, and lack of round forms.



MODERN IID-CENTURY MODERN










HIGH PROFILE COLLECTIONS





Mission "S"



Mission "S" is reminiscent of the Spanish roofs found on early missions in the Southwest, dramatically capturing the beautiful, rustic appearance of the Old World.

P. 13


Boosted Barcelona Caps



Available installation application of Mission "S" which creates the appearance of an authentic mortar-boosted tile.

P. 16

Villa



Emulates beautiful Mediterranean styles found in Italy and Southern France.

P. 17









LOW PROFILE COLLECTIONS






Saxony^o 900 Slate



Beautiful design representative of styles found in England, Northern Europe and the US Eastern Seaboard. Versatile enough to accentuate any architectural style.

P. 19

Saxony^o 900 Shake



Captures rustic beauty of hand-hewn shakes. Ideal for French Country, Victorian Craftsman or Cottage architectural styling.

P. 21

DESIGNER PRODUCT

Madera 900



Madera 900 is the most affordable, authentic replication of a hand-split cedar shake roof available.

P. 25



Mission "S"





Terra Cotta



CRRC Rated Product - 0942-0049 Ref: 0.29 / Emi: 0.89 / SRI: 30 / Aged SRI: 32

Barro Rojo





Sierra Cove Brown

Salerno Clay

1MSCS6330



CRRC#: 0942-0012 Ref: 0.17 / Emi: 0.93 / SRI: 17 / Aged SRI: 22

Marbled Terra Cotta 1MSCS6129



CRRC Rated Product - 0942-0020 Ref: 0.21 / Emi: 0.89 / SRI: 20 / Aged SRI: 19*

Apple Bark 1MSCS0431



CRRC Rated Product - 0942-0007 Ref: 0.18 / Emi: 0.90 / SRI: 17 / Aged SRI: 19

La Terra Blend

1MSCS6031



CRRC Rated Product - 0942-0075 Ref: 0.21 / Emi: 0.87 / SRI: 19 / Aged SRI: 27

California Mission Blend 1MSCS6464



CRRC Rated Product - 0942-0008 Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 24

Cascara Brown 1MSCS3238



13 14 The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.



Ironwood 1MSCS5773



CRRC Rated Product - 0942-0080 Ref: 0.11 / Emi: 0.93 / SRI: 9 / Aged SRI: 9

Desert Sage 1MSCS0024



CRRC Rated Product - 0942-0022 Ref: 0.27 / Emi: 0.93 / SRI: 29 / Aged SRI: 28

Charcoal Blend 1MSCS1430



CRRC Rated Product - 0942-0072 Ref: 0.17 / Emi: 0.91 / SRI: 15 / Aged SRI: 16

Sandstorm

1MSCS0026



Charcoal Brown Blend 1MSCS1132



CRRC Rated Product - 0942-0005 Ref: 0.18 / Emi: 0.91 / SRI: 17 / Aged SRI: 19

Stone Mountain Dark

1MSCS5360



Old Mesquite Blend

1MSCS0772







Boosted Barcelona Caps



Salerno Clay



CRRC Rated Product - 0942-0012 Ref: 0.17 / Emi: 0.93 / SRI: 17 / Aged SRI: 22

Apple Bark 1BGCS0431K



CRRC Rated Product - 0942-0007 Ref: 0.18 / Emi: 0.90 / SRI: 17 / Aged SRI: 19







Hopi Blend Slurry Finish 1VASS0644



CRRC Rated Product - 0942-0033 Ref: 0.49 / Emi: 0.90 / SRI: 57 / Aged SRI: 53

Terra Cotta Gold Flashed Slurry Finish 1VASS6317



CRRC Rated Product - 0942-0023 Ref: 0.26 / Emi: 0.91 / SRI: 27 / Aged SRI: 28

Terra Cotta Slurry Finish 1VASS6100



CRRC Rated Product - 0942-0049 Ref: 0.29 / Emi: 0.89 / SRI: 29 / Aged SRI: 33

Terra Cotta Flashed Slurry Finish 1VASS6300



CRRC Rated Product - 0942-0018

Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 19

19 20



Saxony® 900 Slate





Monterey Sand Brown Flash



Desert Sage 1FJCS0024



CRRC Rated Product - 0942-0022 Ref: 0.27 / Emi: 0.93 / SRI: 29 / Aged SRI: 28

Appalachian Blend 1FJCS0330

CRRC Rated Product - 0942-0069 Ref: 0.14 / Emi: 0.89 / SRI: 11 / Aged SRI: 14

Marbled Terra Cotta

1FJCS6129



CRRC Rated Product - 0942-0020 Ref: 0.21 / Emi: 0.89 / SRI: 20 / Aged SRI: 25

Brown Blend

1FJCS3233



CRRC Rated Product - 0942-0003 Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 21

Stone Mountain Blend

1FJCS5354



CRRC Rated Product - 0942-0047 Ref: 0.17 / Emi: 0.90 / SRI: 15 / Aged SRI: 23

Natural Brown

1FJCS3075



Forest Green


1FJCS4598



CRRC Rated Product - 0942-0011 Ref: 0.20 / Emi: 0.93 / SRI: 20 / Aged SRI: 23

Stone Mountain Dark

1FJCS5360





Saxony® 900 Shake





Monterey Sand Brown Flash 1FKCN0023



Brown Blend
1FKCN3233



CRRC Rated Product - 0942-0003 Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 21

Charcoal Brown Blend

1FKCN1132



CRRC Rated Product - 0942-0005 Ref: 0.18 / Emi: 0.91 / SRI: 17 / Aged SRI: 19

Natural Brown 1FKCN3075



Hickory

1FKCN3726



CRRC Rated Product - 0942-0065 Ref: 0.15 / Emi: 0.93 / SRI: 14 / AGED SRI: 18

Sierra Cove Brown

1FKCN3570



Saxony® 900 Shake



Natural Grey Flash 1FKCN5261



Kocomo Blend 1FKCN3763



Charcoal Blend 1FKCN1430



CRRC Rated Product - 0942-0072 Ref: 0.17 / Emi: 0.91 / SRI: 15 / Aged SRI: 16

Forest Green 1FKCN4598





CRRC Rated Product - 0942-0011 Ref: 0.20 / Emi: 0.93 / SRI: 20 / Aged SRI: 23







Madera 900

DESIGNER PRODUCT






Autumnwood

1MDCL3002



CRRC Rated Product - 0942-0070 Ref: 0.13 / Emi: 0.87 / SRI: 8 / Aged SRI: 9

Vintagewood 1MDCL5011



CRRC Rated Product - 0942-0089 Ref: 0.12 / Emi: 0.94 / SRI: 11 / Aged SRI: 14

Mountainwood

1MDCL5001



CRRC Rated Product - 0942-0110 Ref: 0.08 / Emi: 0.93 / SRI: 5 / Aged SRI: 7

Winterwood Blend

1MDCL5120



CRRC Rated Product - 0942-0183 Ref: .21 / Emit: .91 / SRI: 21 / Aged SRI: 21

Tahoe Blend

1MDCL3230



CRRC Rated Product - 0942-0169 Ref: .17 / Emit: .91 / SRI: 16 / Aged SRI:16

Elkwood 1MDCL0072



CRRC Rated Product - 0942-0081 Ref: .16 / Emit: .94 / SRI: 16 / Aged SRI: 14

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.


Have you considered what is underneath your roof tile?

Newpoint[™] Cool Roof System



Five components provide energy efficiency and give substantial return on your investment.





Specifications

Finishing Touches

| MISSION "S" | Size | Height | Coverage | Installed Weight / Square | Pieces / Pallet | Squares / Pallet | Weight / Pallet | Approvals | Mansard Trim | Mansard Hip Starter | Mansard Apex 3-Way | |
|-------------------|---------------|---------|--|------------------------------|-----------------|------------------|--------------------|-------------------------------------|--------------|---------------------|-------------------------|-------------|
| | 16-1/2" x 13" | 3-1/2" | At 3" minimum headlap, 90 field tiles will cover approx. 100 square feet of roof area. | Approx: 1030 lbs. | 264 | 2.93 | Approx: 2,010 lbs. | Intertek Class 3 Hail Rated FM 4473 | 1MACS | 1MICS | 1M3CS | |
| VILLA | Size | Height | Coverage | Installed Weight / Square | Pieces / Pallet | Squares / Pallet | Weight / Pallet | Approvals | Mansard Trim | Mansard Hip Starter | Mansard Apex 3-Way | |
| | 16-1/2" x 13" | 2-1/8" | At 3" minimum headlap, 90 field tiles will cover approx. 100 square feet of roof area. | Approx: 900 lbs. | 304 | 3.37 | Approx: 3,282 lbs. | - | 1MASS | 1MISS | 1M3SS | |
| SAXONY® 900 SLATE | Size | Height | Coverage | Installed Weight / Square | Pieces / Pallet | Squares / Pallet | Weight / Pallet | Approvals | 90 Rake | V Ridge | Hip Starter | Apex 3-Way |
| | 16-3/4" x 13" | 1-5/32" | At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area. | Approx: 930 lbs. | 304 | 3.49 | Approx: 3,660 lbs. | Intertek Class 4 Hail Rated FM 4473 | 19RCS/19RSS | 1RVCS/1RVSS | 1HICS/1HISS | 1A3CS/1A3SS |
| SAXONY® 900 SHAKE | Size | Height | Coverage | Installed Weight / Square | Pieces / Pallet | Squares / Pallet | Weight / Pallet | Approvals | 90 Rake | V Ridge | Hip Starter | Apex 3-Way |
| | 16-3/4" x 13" | 1-9/32" | At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area. | Approx: 930 lbs. | 304 | 3.49 | Approx: 3,660 lbs. | Intertek Class 4 Hail Rated FM 4473 | 19RCL | 1RVCL | 1HICL | 1A3CL |
| MADERA 900 | Size | Height | Coverage | Installed Weight / Square | Pieces / Pallet | Squares / Pallet | Weight / Pallet | Approvals | 90 Rake | V-Ridge | Tapered Eave Starter | |
| | 13-1/2" x 13" | 7/8" | At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area. | Approx: 950 lbs. | 360 | 3 | Approx: 3,010 lbs. | Intertek Class 3 Hail Rated FM 4473 | 19CCL | 1VCCL | 1CECL | |

31 32



WestlakeRoyalRoofing.com/Newpoint

Visualize

Picture your new roof with Newpoint™ Concrete Roof Tile Inspiration house photo gallery on our website. Design your home with your dream roof by using our **Dream Home Visualizer**. Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.

Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.

Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

Online Ordering

Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for e-mail alerts to notify you of your order status.

Limited Lifetime Warranty

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today. For product warranty details, please see Newpoint Concrete Product Warranty on our website at westlakeroyalroofing.com/resources/warranties/. The warranty found there is the sole warranty applicable to Newpoint™ roofing









About Westlake Royal Roofing Solutions™

The Roofing Solutions portfolio from Westlake Royal Building Products™ is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems. Encompassing a suite of materials that provide strength, versatility, and refinement, our portfolio includes US Tile® Clay Roofing Products, Newpoint™ Concrete Roof Tile, Unified Steel™ Stone Coated Roofing, DaVinci® Roofscapes, and Westlake Royal™ Roofing Components, all designed to deliver a higher standard of roof installation, performance, and design.















SALES OFFICES

Phoenix, ARIZONA Lathrop, CALIFORNIA Rialto, CALIFORNIA Stockton, CALIFORNIA Fort Worth, TEXAS Denver, COLORADO Lake Wales, FLORIDA

Okeechobee, FLORIDA Pompano Beach, FLORIDA Henderson, NEVADA Katy, TEXAS









Code Approval: Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles are Class A fire rated.

Disclaimer: The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of

Installation: According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations

Cover: Mission "S" | Terra Cotta



We're answering "what ifs" on a whole new level—from the solutions we create to the dreams we build. We have the tools and technology to tell design stories on a bigger scale and on a more personal level. There are no limits to how far we innovate, how deeply we express, how strongly we commit and how boldly we go.

Together let's Be Boundless™.





