

# Rocky Mountain & Heartland

CONCRETE ROOF TILE COLLECTIONS

**NEWPOINT**  
CONCRETE ROOF TILE

**Westlake**  
Royal Building Products™

ROOFING  
SOLUTIONS



Asphalt Shingle  
**139°**  
attic temperature

Concrete Tile  
**94°**  
attic temperature

# Why Tile?

**NATURAL PROTECTION**

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing standard Newpoint™ concrete roof tile to a common asphalt shingle. The result is less heat in the attic and lower energy bills.

# Hail Rated

## HAIL RATED CONCRETE TILE ROOFS MAY PROVIDE INSURANCE REDUCTIONS

Newpoint™ has a complete offering of Class 3 and Class 4 Impact concrete tile, the highest hail performance certification recognized in the industry.

You may qualify for an insurance reduction when choosing one of Newpoint's hail certified roof tiles.

## EASY TO REPAIR

Unlike many other roofing materials, tile can be replaced individually without replacing the entire roof.

❏ Ice ball cannon (dimensions: 13 feet long and 5 feet tall)

❏ The hail testing at Architectural Testing's laboratory in Dallas, Texas under test protocol for Factory Mutual 4473.




### Hail Impact Testing Video

View the live hail impact testing video on our website at [WestlakeRoyalRoofing.com/About/Hail Testing](https://www.westlakeroyalroofing.com/About/Hail-Testing) or on YouTube under Newpoint™ Concrete Roof Tile Hail Testing Procedures.

## HAIL TESTING

In the Class 4 hail test, 2 inch ice balls are shot at 104 feet per second (approx. 70 mph), to develop the intended kinetic energy. This test is the most rigorous test using the largest ice balls, impacting the product specimen 4-6 times.



# Material Matters.

## VALUE MATTERS

Westlake Royal Roofing Solutions™ stands behind the quality of our roof tile with a Fully Transferable, Non-Prorated Limited Lifetime Warranty.

## BEAUTY MATTERS


Newpoint™ concrete tiles have texture and substance, creating a true multidimensional look for your roof. Their natural colorways harmonize easily with other exterior building elements.

## DURABILITY MATTERS

Newpoint™ concrete tile gains strength over time, and usually meets building structure and wind rating code requirements. Tile will last 3.75 times longer than an asphalt shingle roof.

## SUSTAINABILITY MATTERS

Newpoint™ roof tile is locally made and sourced in Colorado for the Rocky Mountain and Heartland regions. Newpoint™, manufacturer of concrete roof tile, has been serving Colorado home builders, HOA's and homeowners with affordable roofing solutions since 2003.





# Color Matters

As the market leader, we strive to enhance the curb appeal of your home. We continuously develop new colors to harmonize with the shifting architectural trends in Rocky Mountain and Heartland regions. We take pride in the color quality and blending we provide.

# 3 STYLES

Newpoint™ concrete roof tile easily harmonizes with all three dominant architectural styles.



## TRADITIONAL

American adaptations of regional home styles from other time periods or areas of the world. Often mixed references.



MEDITERRANEAN  
TUSCAN  
SPANISH MISSION  
CRAFTSMAN / BUNGALOW  
COLONIAL



## TRANSITIONAL

Prefers the clean lines of contemporary architecture, but draws heavily on details and styles from traditional architecture.



RANCH / SPLIT LEVEL  
PRAIRIE STYLE  
MIXED LOOKS



## CONTEMPORARY

Characterized by a preference for clean lines, open concepts, decoration, ample light sources, large windows, and lack of round forms.



MODERN  
MID-CENTURY MODERN



# TRADITIONAL

MEDITERRANEAN  
TUSCAN  
SPANISH MISSION  
CRAFTSMAN / BUNGALOW  
COLONIAL

ROOF

BODY




ACCENTS



ROOF

BODY








ACCENTS



ROOF

BODY








ACCENTS



ROOF

BODY



ACCENTS



ROOF

BODY

ACCENTS



# TRANSITIONAL

RANCH / SPLIT LEVEL  
PRAIRIE STYLE  
MIXED LOOKS

ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS




ROOF

BODY


ACCENTS



MOAB



WESTERN TRAIL






# CONTEMPORARY

MODERN  
MID-CENTURY MODERN

ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS



ROOF

BODY


ACCENTS



NEW BARK

SCOTCH MIST PPG14-07


CITY STREET PPG14-04



MEADOWLARK

TOASTED ALMOND PPG15-26


INTROSPECTIVE PPG15-18



ROOF

BODY


ACCENTS



ROCKY MOUNTAIN WOODS

REAL SIMPLE PPG1096-4

BRANDIED PEARS PPG1086-2



ROOF

BODY


ACCENTS



ROCKY MOUNTAIN COBBLESTONE

OSTRICH FEATHER PPG14-32

SEAGULL PPG14-03






Slate | Teton

## LOW PROFILE COLLECTIONS



### Saxony® Slate Impact




Design to help withstand severe weather conditions. Class 4 Hail Rated.

Beautiful design representative of styles found in England, Northern Europe and the US Eastern Seaboard. Versatile enough to accentuate any architectural style.

P. 21


### Saxony® Slate



Beautiful design representative of styles found in England, Northern Europe and the US Eastern Seaboard. Versatile enough to accentuate any architectural style.

P. 23

### Saxony® Shake




Captures rustic beauty of hand-hewn shakes. Ideal for French Country, Victorian Craftsman or Cottage architectural styling.

P. 27

#### Designer Product

### Saxony® Split Old English Thatch




This classic variation of both shake and slate tile adds a distinctive architectural style. Split Shake tiles are best suited for Cottage, Country and Traditional American Homes.

P. 31

#### Designer Product

### Madera 900



The most authentic, affordable replication of a hand-split cedar shake roof available. With its realistic wood shake surface, Madera 900 will complement any architectural style.

P. 33



Madera | Custom Blend



Shake | Mesa



Split Old English Thatch | Black Canyon




Barcelona | Goldenrod

## HIGH & MEDIUM TILE PROFILE COLLECTIONS




### Villa 900



Emulates beautiful Mediterranean styles found in Italy and Southern France.

P. 35


### Barcelona



This modern interpretation of old world Spanish design creates a distinctive mission tile appearance.

P. 38

### Boosted Barcelona Caps



Available installation application of Barcelona which creates the appearance of an authentic mortar-boosted tile.

P. 42



Boosted Barcelona Caps | Casa Grande Blend



Villa | Red Sky



Barcelona | California Mission Blend



# Saxony® Slate Impact

CLASS  
4  
HAIL RATED



Slate Impact | Western Trail

**Western Trail**  
1SXTS3243



Made to Stock

**Black Canyon**  
1SXTS1432



Made to Stock

**Teton**  
1SXTS1142



Made to Stock



Slate | Teton



# Saxony® Slate



Slate | Cheyenne

**Western Trail**  
1SXCS3243



Made to Stock

**Cheyenne**  
1SXCS3170



Made to Stock

**Escalante**  
1SXCS6183




Made to Stock

**Mesa**  
1SXCS4932



Made to Stock

**Rocky Mountain Woods**  
1SXCS3965



Made To Order

**Moab**  
1SXCS6465



Made to Stock



**Telluride**  
1SXCS3969



Made to Stock

**Rocky Mountain Cobblestone**  
1SXCS3959



Made to Stock

**Windsor**  
1SXCS5090



Made to Stock

**New Bark**  
1SXCS3946



Made to Stock

**Teton**  
1SXCS1142



Made to Stock

**Black Canyon**  
1SXCS1432



Made to Stock

**Meadowlark**  
1SXCS4034




Made to Stock

**Prairie Green**  
1SXCS4973



Made To Order






# Saxony® Shake




Shake | Rocky Mountain Cobblestone

**Rocky Mountain Woods**  
1SYCL3965




Made To Order

**Western Trail**  
1SYCL3243



Made to Stock

**Escalante**  
1SYCL6183




Made To Order

**New Bark**  
1SYCL3946




Made To Order

**Moab**  
1SYCL6465



Made To Order

**Mesa**  
1SYCL4932



Made To Order

# Saxony® Shake



**Cheyenne**  
1SYCL3170




Made To Order

**Prairie Green**  
1SYCL4973



Made To Order

**Black Canyon**  
1SYCL1432




Made to Stock

**Rocky Mountain Cobblestone**  
1SYCL3959



Made To Order

**Telluride**  
1SYCL3969




Made To Order

**Windsor**  
1SYCL5090




Made To Stock

**Meadowlark**  
1SYCL4034



Made To Order

**Teton**  
1SYCL1142



Made to Stock







# Saxony® Split Old English Thatch

Designer Product

CLASS  
3  
HAIL RATED



Split Old English Thatch | Western Trail

### Western Trail

1SZCZ3243



Made To Order

### Teton

1SZCZ1142



Made to Stock

### Telluride

1SZCZ3969



Made to Order

### Black Canyon

1SZCZ1432



Made To Order

### Meadowlark

1SZCZ4034



Made To Order

### Prairie Green

1SZCZ4973



Made To Order



# Madera 900

Designer Product

CLASS  
3  
HAIL RATED



Madera | Autumnwood, Mountainwood & Vintagewood  
Custom Blend, installed with manual stagger.

### Mountainwood

1MDCL5001



CRRC ID#: 0942-0110 / Ref: .08 / Emi: .93 / SRI: 5  
Made to Stock

### Autumnwood

1MDCL3002



CRRC ID#: 0942-0070 / Ref: .13 / Emi: .87 / SRI: 8  
Made to Stock

### Vintagewood


1MDCL5011



CRRC ID#: 0942-0089 / Ref: .12 / Emi: .94 / SRI: 11  
Made To Order



Madera | Autumnwood



# Villa 900



Villa | Mesa

### Rocky Mountain Woods

1VICS3965



Made To Order

### Mesa


1VICS4932



Made to Stock

### Red Sky


1VICS7003



Made to Stock

### Western Trail


1VICS3243



Made To Stock

### Moab

1VICS6465



Made to Stock

### New Bark

1VICS3946



Made To Stock

# Villa 900



**Cheyenne**  
1VICS3170




Made To Stock

**Rocky Mountain Cobblestone**  
1VICS3959



Made To Order

**Prairie Green**  
1VICS4973



Made To Order

**Windsor**  
1VICS5090



Made To Stock



*Villa | Rocky Mountain Cobblestone*





# Barcelona



**Goldenrod**  
1BCCS6116



CRRC ID# : 0942-0043 / Ref: .32 / Emi: .90 / SRI: 35  
Made To Order

**California Mission Blend**  
1BCCS6464



CRRC ID#: 0942-0008 / Ref: .19 / Emi: .91 / SRI: 18  
Made To Order

**Casa Grande Blend**  
1BCCS6169



CRRC ID#: 0942-0014 / Ref: .23 / Emi: .91 / SRI: 23  
Made To Order

**Red Castle**  
1BCCS7970



CRRC ID#: 0942-0016 / Ref: .23 / Emi: .92 / SRI: 24  
Made To Order

**Morning Rose**  
1BCCS7310



CRRC ID#: 0942-0015 / Ref: .17 / Emi: .90 / SRI: 15  
Made To Order

**La Terra Blend**  
1BCCS6031



CRRC ID#: 0942-0075 / Ref: .21 / Emi: .87 / SRI: 18  
Made To Order

# Barcelona



## Boosted Barcelona Caps

**Buckskin**  
1BCCS0141



CRRC ID#: 0942-0009 / Ref: .22 / Emi: .90 / SRI: 22  
Made To Order

**Charcoal Brown Blend**  
1BCCS1132



CRRC ID#: 0942-0005 / Ref: .18 / Emi: .91 / SRI: 17  
Made To Order

**Gulfstream**  
1BCCS4960



CRRC ID#: 0942-0013 / Ref: .21 / Emi: .90 / SRI: 21  
Made To Order

**Cliffside**  
1BCCS3940



CRRC ID#: 0942-0017 / Ref: .16 / Emi: .91 / SRI: 14  
Made To Order



**California Mission Blend**  
1BECS6464K



CRRC ID#: 0942-0008 / Ref: .19 / Emi: .91 / SRI: 18  
Made To Order

**Cliffside**  
1BECS3940K



CRRC ID#: 0942-0017 / Ref: .16 / Emi: .91 / SRI: 14  
Made To Order









Have you considered what is underneath your roof tile?

# Newpoint™ Cool Roof System



Five components provide energy efficiency and give substantial return on your investment.



## Energy Savings Every Year

**22%** Reduction in heating and cooling costs<sup>†</sup>







For more information, please visit our website at [westlakeroyalroofing.com/cool-roof-system/](http://westlakeroyalroofing.com/cool-roof-system/)

<sup>†</sup>Steep-slope Assembly Testing of Clay and Concrete Tile with and without Cool Pigmented Colors, Oak Ridge National Laboratory, 2005. Results vary based on profile of tile installed, location, weather and other factors.



# Specifications

# Finishing Touches

SAXONY® SLATE IMPACT	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	17" x 13"	1-17/32"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 1000 lbs.	256	3.01	Approx: 3,367 lbs.	 1R9CS	 1RCCS	 1HPCS
SAXONY® SLATE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	17" x 13"	1-1/8"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 960 lbs.	264	3.1	Approx: 3,130 lbs.	 1R9CS	 1RCCS	 1HPCS
SAXONY® SHAKE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	17" x 13"	1"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 960 lbs.	264	3.1	Approx: 3,130 lbs.	 1R9CL	 1RCCL	 1HPCL
SAXONY® SPLIT OLD ENGLISH THATCH*	Size	Height	Coverage	Installed Weight / Square	Pieces / Half Pallet	Squares / Half Pallet	Weight / Pallet	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	17" x 13"	1-5/16"	At 3-1/2" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 960 lbs.	132	1.5	Approx: 1,592 lbs.	 1R9CS	 1RCCS	 1HPCS
MADERA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	90 Rake	V-Ridge	
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	360	3	Approx: 3,010 lbs.	 19CCL	 1VCCL	
VILLA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	Capri Trim	Capri Hip Starter	
	17" x 13"	2-3/16"	At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	320	3.68	Approx: 3,642 lbs.	 1CWCS	 1CZCS	
BARCELONA	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	Capri Trim	Capri Hip Starter	
	17" x 12-3/8"	3-5/8"	At 3" minimum headlap, 89 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	267	3	Approx: 2,896 lbs.	 1CTCS	 1CHCS	

\*Saxony Split Old English Thatch is sold in Half Pallets.



### Visualize

Picture your new roof with Newpoint™ Concrete Roof Tile Inspiration house photo gallery on our website. Design your home with your dream roof by using our [Dream Home Visualizer](#). Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.



### Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.



### Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

### Online Ordering

Manage your orders through [myWestlakeRoyal](#), a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for e-mail alerts to notify you of your order status.



### Limited Lifetime Warranty

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today. For product warranty details, please see Newpoint™ Concrete Product Warranty on our website at [westlakeroyalroofing.com/resources/warranties/](#). The warranty found there is the sole warranty applicable to Newpoint™ roofing products.



### About Westlake Royal Roofing Solutions™

The Roofing Solutions portfolio from Westlake Royal Building Products™ is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems. Encompassing a suite of materials that provide strength, versatility, and refinement, our portfolio includes US Tile® Clay Roofing Products, Newpoint™ Concrete Roof Tile, Unified Steel™ Stone Coated Roofing, DaVinci® Roofscapes, and Westlake Royal™ Roofing Components, all designed to deliver a higher standard of roof installation, performance, and design.



**Code Approval:** Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles are Class A fire rated.

**Disclaimer:** The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

**Installation:** According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.



#### SALES OFFICES

- Phoenix, ARIZONA
- Lathrop, CALIFORNIA
- Rialto, CALIFORNIA
- Stockton, CALIFORNIA
- Denver, COLORADO
- Lake Wales, FLORIDA
- Okeechobee, FLORIDA
- Pompano Beach, FLORIDA
- Henderson, NEVADA
- Fort Worth, TEXAS
- Katy, TEXAS





# BE BOUNDLESS™

**THE PRODUCTS TO DO EVERYTHING. THE POWER TO DO EVEN MORE.**

We're answering "what ifs" on a whole new level—from the solutions we create to the dreams we build. We have the tools and technology to tell design stories on a bigger scale and on a more personal level. There are no limits to how far we innovate, how deeply we express, how strongly we commit and how boldly we go.

**Together let's Be Boundless™.**

